

MSDS | Material Safety Data Sheet

Bondage Lash Adhesive

Section 1 – Chemical Product and Company Identification

MSDS Name: Bondage Lash Adhesive

Company Identification: Lost Artistry LTD. 944 North Park St. · Victoria, BC, Canada · V8T 1T6

Section 2 – Composition and Ingredient Information

Ingredients	CAS No.	% Content
Ethyl Cyanoacrylate	7085-85-0	90%
Polymethyl Methacrylate	9011-14-7	5%
Carbon Black	1333-86-4	5%

Section 3 – Hazards Identification

Inhalation: Vapor is irritating to eyes, skin and mucous membranes and respiratory tract.

Eye: Contact with vapor or liquid may irritate the eyes.

Skin: Slightly dryness to the skin.

Section 4 – First Aid Measures

Inhalation: Remove source of exposure or move person to fresh air and keep comfortable for breathing. If breathing is difficult, trained personnel should administer emergency oxygen. Get medical attention immediately if symptoms persist.

Eye Contact: Immediately flush eyes with running water for at least 15 minutes. If redness, itching or a burning sensation develops, get medical attention.

Skin Contact: Do not pull bonded skin apart. Remove contaminated clothing and wipe off excess from skin. Wash exposed area with soap and water. If redness, itching or a burning sensation develops, get medical attention.



LOST ARTISTRY

Ingestion: Get medical attention immediately.

Note to Physicians: None for this material.

Section 5 – Fire Fighting Measures

Extinguishing Media: Use dry chemical, carbon dioxide, foam or spray as appropriate for surrounding fire.

Fire Fighting Instructions: Do not enter any enclosed or confined fire space without full protective equipment, including self-contained breathing apparatus.

Section 6 – Accidental Release Measures

Small Spills: Evacuate the area and ensure good ventilation if possible. Wear self-contained breathing apparatus if necessary. Wear suitable protective clothing.

Large Spills: Use same procedure as small spill.

Section 7 – Handling and Storage

Handling Precautions: Prevent contact with eyes, skin and clothing. Avoid prolonged or repeated breathing of vapors and mists. If spilled on clothing, launder before reuse. Do not take internally. Use only in a well ventilated area. Keep out of the reach of children.

Storage Requirements: Prevent freezing, as product will coagulate. Keep container tightly closed when not in use. Do not get in eyes, on skin or on clothing. Keep away from combustible materials, heat, steam and direct sunlight. Product, even when emptied of contents, retains residual vapors and is subject to proper waste disposal.

Section 8 – Exposure Controls and Personal Protection

Protective Clothing and Equipment: The use of gloves is advised to prevent skin contact and to avoid possible irritation. Use Chemical Goggles if splashing may occur.

Section 9 – Physical and Chemical Properties

Physical State: Black Liquid

Odor: Odorless, irritating

pH: N/A



LOST ARTISTRY

Water Solubility: N/A

Boiling Point: 100°C

Section 10 – Stability and Reactivity

Condition to Avoid: High humidity, high temperature or direct sunlight

Stability: Stable (cool and dry area)

Material to Avoid: Polymerized by contact with water, alcohols, amines or alkalis

Hazardous Decomposition or by Products: CO₂, Oxides, Nitrogen and unknown Hydrocarbons

Section 11 – Toxicological Information

Toxicity: Skin contact may cause burns. Bonds skin rapidly and strongly. Skin and eye irritant.

Routes of Entry: Inhalation (Yes)

Skin (Yes)

Ingestion (Yes)

Carcinogen: See Section 3

Section 12 – Ecological Information

No data available.

Section 13 – Disposal Consideration

Disposal: Polymerize adhesive by adding slowly to water (10:1, Adhesive:Water)

Dispose of solid residue according to national and local regulations.

Section 14 – Transport Information

CLASS: Unrestricted

UN Number: None



Section 15 – Regulatory Information

CA Proposition 65: No California proposition 65 chemicals are known to be present.

Section 16 – Other Information

The information contained in this document is based upon information available to us and reflects our best professional judgment, but does not offer any guarantee or warranty. Neither our company nor any subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained in this document. All materials may present unknown. This information is provided with the condition that the person receiving it will make their own determination of the suitability of the product for their particular use.