

SDS | Safety Data Sheet

Quickie Lash Adhesive

Section 1 – Chemical Product and Company Identification

Product Identifier: Quickie Lash Adhesive

Recommended Use: Professional eyelash extension adhesive

Company Identification:

Supplier: Lost Artistry LTD.

Address: A-10109 McDonald Park Rd Sidney, BC V8L 5X5 Canada

Email: info@lostartistrylash.com

Emergency Telephone: Local Poison Control Centre

Canada: 1-844-POISON-X

US: 1-800-222-1222

Section 2 – Composition and Ingredient Information

Ingredients	CAS No.	% Content
Water	7732-18-5	25%
Ethyl Cyanoacrylate	7085-85-0	68.5%
Polymethyl Methacrylate	9011-14-7	2.7%
Carbon Black	1333-86-4	0.3%
Polyisocyanate	9016-87-9	3.5%

Section 3 – Hazards Identification

3.1 Emergency overview

Vapor is irritating to eyes, skin and mucous membranes and respiratory tract.

Potential Health Effects:

May cause sensitization by inhalation, Narcotic effects, headache, dizziness, vomiting.

Skin: Dryness

Eye: Irritation

Potential Environmental Effects:

Not available.

Signs and Symptoms of Exposure:

Vapor is irritating to eyes and mucous membranes above TLV.

LOST ARTISTRY

Prolonged and repeated over exposure to vapors may cause symptoms of non-allergic asthma in sensitive individuals.

Existing Conditions Aggravated by Exposure:

None Known

Section 4 – First Aid Measures

- Ingestion: Ingestion is not likely. See supplemental page for emergency procedures.
- Inhalation: Evacuate from further exposure. If unconsciousness occurs, see immediate medical assistance and call a physician. If the breath has stopped, have artificial respiration. If breathing difficulty occurs, have oxygen inhalation.
- Skin contact: Remove contaminated clothing. Wash contact areas with soap and water.
- Eye contact: Flush with water thoroughly for at least 15 minutes. Seek immediate medical assistance.

Section 5 – Fire Fighting Measures

Flash Point: Above 115°C Method: Cleveland open cup. (Recommended)

Extinguishing Agents: Carbon dioxide, foam, dry chemical

Special Firefighting Procedures: Not Available

Hazardous Products Formed by Fire or Thermal Decomposition: Irritating organic fragments

Unusual fire or explosion hazards: None

Explosive Limits:	(% by volume in air) Lower	Not available
	(% by volume in air) Upper	Not available

Section 6 – Accidental Release Measures

- Evacuate non-essential personnel.
- Shut off all sources of ignition: No fires, smoking or flames in the area.
 - * Ventilate area after material pick up is completed.

For small spill:

- Absorb spill with inert material (dry cloth, dry sand), then place in a chemical waste container using nonsparking tools.
- Flush residual spill (area) with plenty of water.

For large spill:

- Contain spill for later disposal.
- Wash with plenty of water.

Section 7 – Handling and Storage

Handling:

- Keep away from sources of ignition and heat. No smoking or flames in working area.
- Take precautionary measures against static discharges.
- Wear proper protective equipment, and avoid contact with skin or eyes.
- Use only in well ventilated areas.

LOST ARTISTRY

- Use exhaust ventilation to keep air concentration below exposure limit.
- Keep container tightly closed when not in use.
- Install emergency showers and eye wash facility in working area.

Storage:

- Keep away from possible sources of ignition.
- Store in cool, dry and well ventilated location.
- Keep container tightly closed.
- Keep away from combustible materials, heat, and steam pipe or sunlight.
- Keep away from oxidizing materials.

Other Precautions:

- Wash hands and face after exposure.
- Practice good personal hygiene after using this material, especially before eating, drinking, smoking or using the rest room.
- Keep out of reach of children.

Section 8 – Exposure Controls and Personal Protection

Respiratory protection (Specify type): Chemical Cartridge respirator with organic vapor

Protective gloves: Polyethylene gloves.

Eye protection: Safety glasses, face shield.

Skin Protection: Other protective clothing or equipment - impervious clothing apron and boots

Section 9 – Physical and Chemical Properties

Appearance	Black liquid
Odor	Sharp, irritating
Boiling Point	Above 190°C (374. F)
Melting Point	N/A
Specific Gravity (H ₂ O = 1)	0.9-1.1
Vapor Pressure (at 25°C)	1Pa
Vapor Density (Air =1)	4.5
Evaporation Rate (Butyl acetate =1)	N/A
Solubility in Water:	Insoluble (Polymerized by water)

Section 10 – Stability and Reactivity

- **Condition to avoid:** High humidity, high temperature or direct sunlight
- **Stability:** Stable (Cool and dry area)
- **Material to Avoid:** Polymerized by contact with water, alcohols, amines or alkalis.
- **Hazardous Decomposition or by Products:** CO₂, Oxides, Nitrogen and unknown Hydrocarbons.

LOST ARTISTRY

Section 11 – Toxicological Information

Toxicity : Skin contact may cause burns, bond skin rapidly and strongly skin and eye irritant

Routes of Entry: Inhalation (Yes), Skin (Yes), Ingestion (Yes).

Ingredients which have exposure limits:

- ACGIH (TLV) OSHA (PEL) OTHER
- Ethyl Cyanoacrylate 0.2ppm TWA None

Ingredients	Literature Referenced Target Organ and Other Health Effects	Carcinogen NTP IARC OSHA
Ethyl Cyanoacrylate	ALG IRR RES	No No No

Abbreviations

N/A	Not applicable	AC3	ACGIH animal Carcinogen
ALG	Allergen	BLO	Blood
BNM	Bone Marrow	CNS	Central Nervous System
EYE	Eyes	IMM	Immune System
IRR	Irritant	LIV	Liver
MUT	Mutagen	Res	Respiratory

Section 12 – Ecological Information

No data available.

Section 13 – Disposal Consideration

Waste disposal method: Don't pour drain. Follow domestic and local environmental regulations.

- Precautions to be taken in handling and storing: Avoid unnecessary exposure to air and moisture.
- Don't store above 25°C and in direct sunlight.
- Keep container lids tightly closed.
- Other Precautions: Wear recommended equipment to avoid contact with skin and eyes. Protect eyes, skin and clothing from contact with liquid product.

Section 14 – Transport Information

U.S Department of Transportation Ground Transport (49 CFR 172)

- Proper Shipping Name: Unrestricted (Not more than 450 liters.)
- Combustible liquids n.o.s. (Cyanoacrylate ester) (More than 450 liters)
- Hazard class or division: Unrestricted (Not more than 450 liters.)
- Combustible liquids (More than 450 liters)
- Identification number: None (Not more than 450 liters.)
- NA1993 (More than 450 liters)
- Marine Pollutant: None

LOST ARTISTRY

- International Air Transportation (ICA/IATA)
- Proper shipping name: Unrestricted
- Class or Division: Unrestricted
- UN or ID number: None
- Water Transportation (IMO/IMDG)
- Proper Shipping Name: Unrestricted
- Hazard class or division: None
- Identification Number: None
- Marine Pollutant: None

Section 15 – Regulatory Information

CA Proposition 65: No California Proposition 65 chemicals are known to be present.

TSCA 8(b) Inventory Status: All components are listed or are exempt from listing on Toxic Substances Control Act Inventory

EINECS All components are listed on EINECS

Section 16 – Other Information

Estimated NFPA(R) Code:

Health Hazard	1
Fire Hazard	1
Reactivity Hazard	1
Specific Hazard	Does not apply

Estimated HMIS(R) Code:

Health Hazard	1
Flammability Hazard	1

NFPA is a registered trademark of the National Fire Protection Assn.

HMIS is a registered trademark of the National Paint and Coating Assn.